



QUARKXPRESS 2015

# Nyheter i QuarkXPress 2015

# Innehåll

<b>Nyheter i QuarkXPress 10.1.....</b>	<b>3</b>
<b>Nya funktioner.....</b>	<b>4</b>
64-bit application.....	4
Innehållsvariabler.....	4
Inline tables.....	5
Footnotes and Endnotes.....	5
Fixed layout for ePub.....	7
Andra nya funktioner.....	7
<b>Juridiska meddelanden.....</b>	<b>9</b>

# Nyheter i QuarkXPress 10.1

Det här dokumentet ger en introduktion till de nya funktionerna i QuarkXPress 10.1.

# Nya funktioner

## 64-bit application

QuarkXPress 2015 is a 64 bit application, giving improved scalability and memory management over QuarkXPress 10.x.

## Innehållsvariabler

QuarkXPress 2015 stödjer innehållsvariabler, objekt som du infogar i dokumentet som kan variera beroende på innehållet. Variabeln *Sista sidans nummer* visar t.ex. sidnumret för dokumentets sista sida. Om du lägger till eller tar bort sidor uppdateras variabeln därmed.

Innehållsvariabler fungerar i alla layouttyper: utskrift, e-böcker och App Studio.

Om du vill lägga till en variabel placerar du markören där du vill att variabeln ska visas och dubbelklickar på variabeln i paletten. Du kan också ställa in den med QuarkXPress typografiverktyg.

QuarkXPress 2015 innehåller följande förinställda innehållsvariabler som du kan infoga i dokumentet:

- Skapad
- Aktuellt sidnummer
- Filnamn
- Sista sidans nummer
- Ändrat datum
- Utdatadatum
- Nästa sidas nummer
- Föregående sidas nummer

Förutom uppsättningen med fördefinierade variabler kan du skapa följande ytterligare texttypsvariabler:

- Anpassad variabel: Du kan kombinera en textsträng med andra förinställda variabler för att skapa en kombination.
- Sidhuvud: Den här variabeln innebär att du kan välja källdata i dokumentet genom att hänvisa till en stycke- eller teckentypografimall. Variabeltypen kan anges på

mallsidan så att sidhuvudena uppdateras automatiskt. *Vänstersidan kan t.ex. ha bokens titel och högersidan kan ha kapitlets eller avsnittets namn.*

- Sidreferens: Den här variabeln används för att skapa en referens till ett befintligt layoutobjekt med användning av den befintliga funktionen **Ankare** och innebär att du kan hänvisa till objektet på andra ställen i dokumentet, inklusive sidnumret för det hänvisade objektet.
- Statisk text: Med det här alternativet kan du skapa en enkel statisk textvariabel som kan infogas på olika platser i dokumentet. Om du t.ex. vill hänvisa till ett företagsnamn på ett konsekvent sätt i hela dokumentet och bara vill göra ändringar på ett ställe, kan den här variabeln vara användbar.

### Inline tables

QuarkXPress 2015 introduces new fast Inline table support that allows you to insert a table from Microsoft Excel workbook (XLSX format only).

QuarkXPress 2015 allows you to add, edit, and delete table styles using the **Table Styles** palette. During the import of the table, you can choose a table style to apply to the inline table from the **Table Style** drop-down menu.

The Inline Tables data can be edited only in source format, which is an .xlsx file linked to the table. So, for editing the table data or column widths, you have to open the linked Excel workbook to make changes. However, once created, Table Styles can be edited in QuarkXPress. You can use **Utilities > Usage** to update the table data similar to image updates.

When importing an inline table, you can select a pre defined table style to apply to the data/table you are importing from Excel Workbook. If you do not select any Table Style it will generate a table style and corresponding paragraph styles automatically based on the supported formatting in QuarkXPress. You can retain the formatting from the Excel Workbook and generate an inline table style to match the formatting. You can also maintain the geometry (column widths only).

You can choose to fit the table to the text box automatically and when you resize the text box the table columns are spread proportionately to fit to the box.

### Footnotes and Endnotes

QuarkXPress 2015 introduces support for Footnotes and Endnotes, with the option to import them from Microsoft Word documents (DOCX format).

Footnotes and Endnotes consists of two linked parts: the reference number that appears in the text, and the footnote/endnote text that appears at the bottom of the text. Footnote text is created at the end of a page and Endnote text is created at the end of a story.

As you insert/delete footnotes and endnotes, they are automatically numbered as they are added to/deleted from the text. This numbering will restart with each new story.

There are default footnotes and endnotes styles that you can insert from the content menu options/shortcuts. You can also edit the default Footnote and Endnote styles or create custom styles like any other styles in QuarkXPress, including using bullets and numbering styles to define the Footnote marker style and numbering of the footnote text. Footnote styles allow the user to define paragraph style sheets to be applied to the footnote text.

Use the **Return to Reference** to move a Footnote/Endnote text to its corresponding Footnote/Endnote reference in the parent text. A shortcut is also available for **Return to Reference**.

Use the **Go to Footnote/Endnote** to go from the Footnote/ Endnote reference in the parent text to the Footnote/Endnote text.

QuarkXPress 2015 also supports:

- restarting Footnotes numbering at page level and allows manual override of numbering similar to numbered lists.
- Footnotes in multi-column text flow allowing Footnotes to appear at the bottom of each column.
- the ability to append Footnotes Styles between projects.
- applying Footnotes to individual text boxes (not auto text box) so that they appear at the bottom of the text box.
- using a custom mark as the Footnote/ Endnote reference number.
- the ability to modify applied Footnotes/ Endnotes from the **Footnote Styles** palette.
- applying the Footnote/Endnote separator style between parent text and Footnote/Endnote text. It is applied at box level, hence the user can apply different separator styles on different boxes and also different boxes within same story. The user can also apply a different Footnote separator style of his choice using **Style > Footnote Separator Style**. The user can also define the left and right offsets for a footnote separator style.
- changing Footnotes to Endnotes and vice versa.
- choosing whether to start Endnotes from the same page, just after end of story or from a new page.
- copy/pasting Footnotes/ Endnotes.
- searching Footnotes/Endnotes using Find/Change.
- applying Footnotes/Endnotes through shortcuts and from the **Custom Footnote/Endnote** button in the **Footnote Styles** palette

➡ Each footnote text is a separate story and hence all footnote text cannot be selected together.

## Fixed layout for ePub

QuarkXPress 2015 introduces support for fixed layout for ePub creation. This offers designing and export to fixed layout ePub formats supported by Kindle and iOS devices.

Fixed layout for ePub offers the following features:

- **New eBooks Layout space.** QuarkXPress 2015 introduces a new eBooks layout space replacing the legacy eBooks layouts, which had limited functionality to offer reflow ePub export. The new layout space offers support for designing fixed layout ePubs based on ePub 3.0 standard as well as the creation of reflowable eBooks. The new layout space inherits many of the App Studio capabilities that include HTML5 support with an option to add interactivity to fixed layout ePubs including Audio, Video, Slideshows, Animations, 360 Degree Image and Buttons.
- **New Project dialog.** The new project dialog for eBooks is enhanced with options to select target devices or custom sizes. QuarkXPress 2015 offers users the ability to save custom sizes so that they can reuse them by selecting them from the **New Project** dialog.
- **Rich Layout capabilities.** With the new layout space to support fixed layout ePubs, you can use the rich design capabilities that are available to print and App Studio layout spaces. For example, you can create unlimited style sheets or use style sheets from print or App Studio layouts. Similarly, you can share other resources like Colors, Item Styles, Footnote styles, etc. across the print and eBook layouts. Fixed layout ePubs in QuarkXPress 2015 support East Asian story direction and page flow from right to left and rubi characters in native HTML (whatever HTML can support for these languages). Also, you can use Advance image control to handle images in fixed layout ePubs similar to print layout. Images can be down sampled with options in ePub export.
- **Lists.** QuarkXPress's lists capability can be used for generating table of contents for both fixed layout ePubs and reflow ePubs.
- **HTML5.** The New **HTML5** palette in the eBooks layout space offers a simple and intuitive user interface to add interactive elements to fixed layout ePubs and reflow ePubs. Based on interactivity supported in target devices and output format (ePub and Kindle formats), these interactive elements can be excluded automatically on export. Audio, Video, Slideshows and Animations are all supported in fixed layout ePubs.
- **Reflow tagging.** In QuarkXPress 2015, users can create a fixed layout ePubs and use the same layout elements to tag for reflow ePub. In a way users can create one layout and export to both fixed and reflow ePubs. Further, reflow tagging is allowed from both the Print and App Studio layouts.
- **Export to ePub/Kindle.** QuarkXPress 2015 offers the following export options:
  - 1 Layout as ePub, to export to standard ePub format for iOS devices.
  - 2 Layout as Kindle, to export to Kindle Fire devices.

## Andra nya funktioner

QuarkXPress 2015 inkluderar även följande nya funktioner och förbättringar:

- An easier activation process.
- Reflow ePub enhancements: QuarkXPress 2015 enhances and removes any limitation in reflow ePub features supported in legacy versions of QuarkXPress. It also uses the same HTML5 palette offered in App Studio to add certain kinds of interactivity to ePub layouts as per ePub 3.0 standard.
- PDF/X-4: You can create PDF/X-4 files out of QuarkXPress 2015, which are being verified by callas' pdfToolbox technology.
- Relink pictures from **Usage** dialog: You now have the choice of replacing or relinking an existing picture (with **OK** status) using the **Update** button on the **Usage** dialog.
- Format Painter: You can pick the formats (style attributes) from selected text and apply to text elsewhere in the document.
- Open PDF after Export: You can select to have the PDF open after exporting.
- Larger page size: You now have the choice of larger page sizes. (up to 224 inches x 224 inches).
- Custom shortcut keys (Mac OS X only): There are new application level preferences that allow you to change the Keyboard shortcut keys for existing keys as well as allowing you to define new keyboard shortcuts for selected menu and non-menu items.
- Search in palettes: Selected palettes have new search capabilities. For example, you can search style sheets and colors by name. The search capability is introduced in the following palettes: Style Sheets, Colors, Hyperlinks and Content Variables.
- Dock Palettes in QuarkXPress (Windows): Windows users now have the same ability that Mac OS X users already had to dock palettes to the corner of the application. This helps keep the workspace tidy and avoid the document being covered by palettes.
- Custom named Layout sizes: You have the option to save custom sizes in Print and eBooks layouts. This option is available in the **New Project** dialog.
- Project level CFO: The Collect for Output (CFO) feature has been enhanced to support project level CFO. In the **Collect for Output** dialog, you can choose a single, multiple or all layouts in a project.
- Image scaling: Image scaling is allowed up to 5000%.
- The **Usage** dialog now shows only the file names and no longer crops long names to fit into the usage listing. You can still click on image or excel table name and see more information for the full path.
- PDF output styles: The default PDF output styles have been updated and new output styles for PDF/X- 4 have been added.
- Added support for ECI color profiles.
- The auxiliary dictionaries have been enhanced. They are now in XML format, they can be integrated with Job Jackets, and legacy dictionaries are automatically converted.

Mer information finns i *Handbok för QuarkXPress 2015* eller gå till [www.quark.com/support/documentation](http://www.quark.com/support/documentation)



# Juridiska meddelanden

© 2022 Quark Software Inc. och dess licensgivare. Med ensamrätt.

Skyddat av följande patent i USA: 5,541,991; 5,907,704; 6,005,560; 6,052,514; 6,081,262; 6,633,666 B2; 6,947,959 B1; 6,940,518 B2; 7,116,843; 7,463,793; och andra patentsökningar har lämnats in.

Quark, Quark-logotypen, QuarkXPress och QuarkCopyDesk är varumärken eller inregistrerade varumärken som tillhör Quark Software Inc. och dess dotterbolag i USA och/eller andra länder. Alla andra varumärken tillhör respektive ägare.

De PANTONE®-färger som visas i programvaran eller i användardokumentationen överensstämmer eventuellt inte med PANTONE-identifierad standard. Använd aktuell PANTONE- färghandbok för korrekta färger PANTONE ® och andra varumärken från Pantone, Inc. tillhör PANTONE LLC. © Pantone LLC 2010.

Pantone äger upphovsrätten till färgdata och/eller programvara som har licensierats till Quark Software Inc. för distribution endast tillsammans med programvara från Quark. PANTONEs färgdata och/eller programvara får inte kopieras till en annan disk eller till minnet, såvida detta inte är en del av exekveringen av programvaran från Quark.