QuarkXPress 2017 Known and Resolved Issues





Contents

Known issues as of QuarkXPress 2017
Resolved Issues: QuarkXPress 2017 - June 2018 Update (13.2.4)
Resolved Issues: QuarkXPress 2017 - January 2018 Update
Resolved Issues: QuarkXPress 2017 - December 2017 Update (13.1.1)
Resolved Issues: QuarkXPress 2017 - October 2017 Update (13.1)
Resolved Issues: QuarkXPress 2017 - July 2017 Update (13.0.2)
Resolved Issues: QuarkXPress 2017 - June 2017 Update (13.0.1)
Resolved Issues: QuarkXPress 2017 (13.0)1
Legal notices19

Known issues as of QuarkXPress 2017

Following is a list of known issues in QuarkXPress® 2017

- A frame is applied incorrectly on multiple paragraph text if the text in one of the paragraphs is spanned with a rule underneath. (276525)
- The text frame is always in a rectangular shape for Bezier boxes. (271871)
- Focus shifts back to endnote number in body text when endnote text insertion
 forces an auto page insertion; on typing text thereafter text gets typed in body
 text. (278559)
- An applied Rule Above attribute is not honored after the text is reflown into separate column blocks using the Restart Flow attribute. (192921)
- Dashes created with a few dashes and a gap with no values is getting converted incorrectly to QuarkXPress Native Objects. (251709)
- Raster Images in 'Indexed Device N' color space PDF files are not exporting as External linking files while Converting into QuarkXPress Native Objects. (268210)
- There is no way to un-synchronize (stop sharing) All/Multiple items at once, after an Adaptive Layout Scaling / Duplicate. (269612)
- Clicking on a cross reference anchors doesn't navigate properly to the anchor reference in the PDF. (269820)
 - Workaround: Scroll the PDF document upwards.
- User is unable to apply image effects to pictures imported in Image 360/Slideshow HTML5 interactivity. (269999)
- Applied image effects are not showing for a picture pan and zoom interactivity box in digital output (ePub, Kindle, App Studio, HTML5). (270000)
- The opacity applied to one instance of text stroking/outline gets applied to all other instances in native output. (270390)
- Incorrect shading is applied when paragraph text has text angle and skew applied. (270582)
- Table data in a row containing a nested table gets overflowed if the row height is more than the box size while importing a Word document. (270668)
- Line Between applied in a text box flows through an obstruction box if the obstruction box is placed over the text box. (270773)

- Line Between applied in a text box is displayed on the side of a spanned column paragraph. (270773)
- Spanned/ Split text is incorrectly placed if vertical text alignment is set to Centered/bottom. (270783)
- Column span does not get applied if the span count is more than the number of available columns. (271287)
 - Workaround: Change the span column count to the available number columns.
- "Clip To Box" does not work if text shading is applied along with frame attributes. (271664)
- Text frame sides are not drawn for contiguous single line paragraphs. (271665)
 - Workaround: Different Text Shading Styles needs to be applied to alternate paragraphs.
- Top and Bottom offsets of shading are applied separately on paragraphs that continue to the next column or text box. (271865)
- Text overflows when resizing the text box height such that the paragraph cannot flow from first column if preceded by spanned column paragraphs. (273462)
- The second column block is ignored in the case of text runaround; The text in the second split/ span column paragraph is overlapped by the obstruction box in the case of two consecutive different column blocks. (273465)
- Blend Mode applied to animated items are not showing in Chrome Browser. (273525)
- Blend Mode applied to animated items are not showing with blend mode in digital output. (273528)
 - Workaround: Export such items as image, import them in QuarkXPress, then apply Animation.
- Videos and Audios are not playing in App Studio Apps on iPad with iOS 9.x. (273744)
 - Workaround: Update to iOS 10 or higher, if possible.
- Color values of CMY and RGB tints that have a shade/opacity of less than 100% are changed after applying any blending mode other than Normal. (274445)
- Text overlap occurs when text doesn't flow in the first column of a split column paragraph. (274706)
- Clipping paths and alpha channels are not saved with the images saved with Save Picture. (275019)
- A custom source setup is applied twice to text when applying a blending mode to any object in a document RGB blending color space. (275291)
- Blend modes do not work in Microsoft Edge/Internet Explorer, when exported to HTML5 Publications. (276039)
 - Workaround: Use an alternative browser like Chrome, Firefox.

- Gradients, added to the Color palette, are not listed in the dropdowns in the Inline Table Style dialog. (276218)
- Text Stroke does not work in Microsoft Edge/Internet explorer, when exported to HTML5 Publications. (276324)
- QuarkXPress objects and images having opacity renders as corrupted when applying a blending mode to any object in the layout when the layout view is less than 100%. (276779)
- Top shading offset color does not display in multi-column text flow in paragraph shading. (277088)
 - Workaround: Press the Enter key at the end of the last line on the first column.
- Text shown as a blur if the project contains interactivity items. (277091)
- There is a memory leak while outputting flattened output if the project contains Picture effects applied images. (277099)
- Shading with opacity applied to text in a table does not output in flattening. (277247)
 - Workaround: Can be output using native transparency option.
- Height/Width of a merged text box is not per the bounding box area of selected boxes (selection order) if drop shadow is applied on the selected text box. (277353)
- A new style sheet containing text shading style doesn't get override when changing the text shade locally. (277354)
- The Reset button on the Shape Maker dialog box is not working. (277637)
- Image 360° Interactivity auto play is not working smoothly in Safari Browser. (277423)
- Preview remains "Black" only when creating a new text shading style with a new color at the application level. (277446)
- CMYK colors of text are converted to different shades after applying a blending mode. (277499)
- Bottom side content placed in scroll zone/section pages is truncated with width fit option. (277986)
- Text content is not shown in HTML page previews if it contains any item with a blend mode applied. (278021)
- Fit Box to Text not working properly for a split column text box. (278387)
- Text with textstroke applied is distorted on Safari 11 browser. (7547)

Resolved Issues: QuarkXPress 2017 -June 2018 Update (13.2.4)

Following is a list of issues resolved in QuarkXPress 2017 – June 2018 Update. Note that the following is not an exhaustive list of all fixes in this version.

- RESOLVED: Tracking value increments/decrements by incorrect value when using 1/20 em shortcuts if the current value is not a tens value. (10344)
- **RESOLVED**: Tab stops are not aligned if justified alignment is applied on the text. (33641)
- RESOLVED: Greek characters are imported as junk when importing a Word .docx file. (5993)
- RESOLVED: Videos are truncated in full screen mode in iBooks 1.10. (4749)
- RESOLVED: Added iPhone X Support to the Export as iOS App functionality. (27643)
- RESOLVED: The QuarkXPress silent installer always installs the Evaluation Version, ignoring the inputs in "Setup.xml". (22273)
- RESOLVED: (macOS High Sierra only): An alert 'Cannot access the 'XPress Preferences' file' pops up when creating a new auxiliary dictionary at the default path/last saved path. (16445)
- RESOLVED: Dragging tab stops on the Tab ruler is not smooth, the tab stop and mouse pointer don't move together; the user is unable to accurately place the tab on the tab ruler. (2633)
- RESOLVED: The start position of the tab ruler is shifted in a multicolumn text box; as a result, the position of the tab in the text box doesn't match the tab stop on the tab ruler. (30824)
- RESOLVED: Tab stops jump slightly to the right when placing the tab stops by clicking on the tab ruler in the Paragraph style sheet dialog. (6121)
- RESOLVED: (macOS High Sierra only): Many fonts are not enumerated in the font menu in QuarkXPress. (8174)
- RESOLVED: QuarkXPress crashes during launch if 'TestFont-LocalizedForms.otf' is installed on the system. (26325)
- RESOLVED: (macOS only): Footnote text doesn't get calced when incrementing/decrementing character attributes/paragraph attributes using a shortcut. (6099)

RESOLVED ISSUES: QUARKXPRESS 2017 - JUNE 2018 UPDATE (13.2.4)

- **RESOLVED:** Pictures are not scaled and positioned correctly when you relink the same image from low res to high res with/without maintain picture attributes. (33452)
- RESOLVED: Rule Above/Rule Below does not honor Indent settings properly, Rule line is displayed in the Indent area. (31707)
- **RESOLVED**: Unable to unlock the story shared through 'Copy to other Layouts'. (33588)

Resolved Issues: QuarkXPress 2017 - January 2018 Update (13.2)

Following is a list of issues resolved in QuarkXPress 2017 – January 2018 Update. Note that the following is not an exhaustive list of all fixes in this version.

- **RESOLVED**: (*macOS only*): The **Page Gap** and **Paper Offset** set for a roll fed device is not changing to 0 after modifying the values. (18518)
- **RESOLVED**: QuarkXPress crashes when inserting or copy-pasting East Asian text. (18533)
- **RESOLVED:** The **Paste Without Formatting** option does not work in QuarkXPress 2017 with table cells. (18537)
- **RESOLVED:** Some footnote reference and its corresponding footnote text display in different boxes. (18538)
- **RESOLVED:** The **Pan** tool is not working when pressing Alt/Option key, if the **Text link/Unlink** tool is selected. (18539)
- **RESOLVED**: QuarkXPress crashes when launching the Quark Cache Cleaner if the **Welcome** screen is invoked . (18536)
- **RESOLVED**: A blank PS is created when creating a PDF/PS/Non-PS with single glyph with any font. (18534)
- RESOLVED: Text box color is ignored in reflow epub export. (19154)
- **RESOLVED**: The zoom out shortcut is not working when the **Text Linking** tool is selected. (18540)
- **RESOLVED**: Grayscale images are overprinted in flattening output with the picture background color when the mask is applied. (18532)
- RESOLVED: Rendering and Output are incorrect with a specific profile. (18542)
- **RESOLVED**: There is a performance degradation in QuarkXPress 2017 layout operations when there are multiple drop shadow objects, in High DPI windows compared with QuarkXPress 2016. (19504)
- **RESOLVED:** QuarkXPress crashes when version 4 "Black and White.icc" is used in output or Soft proofing/Proof output. (19493)

Resolved Issues: QuarkXPress 2017 - December 2017 Update (13.1.1)

Following is a list of issues resolved in QuarkXPress 2017 – December 2017 Update. Note that the following is not an exhaustive list of all fixes in this version.

- **RESOLVED**: Transparent PSD images lose transparency after the project has been worked on for a few hours. (7239)
- RESOLVED: (macOS High Sierra only): QuarkXPress crashes while launching, if Rotis Serif Screen Type1 font is installed on the system. (15553)

Resolved Issues: QuarkXPress 2017 -October 2017 Update (13.1)

Following is a list of issues resolved in QuarkXPress 2017 - October 2017 Update. Note that the following is not an exhaustive list of all fixes in this version.

- RESOLVED: Guides and bleed/safety marks are wrongly positioned when using the **Scale** palette to scale a layout. (2597)
- **RESOLVED:** Spot colored shadings in a separation color space are not outputting as spot colors and are converted to CMYK colors when outputting in CMYK and spot output setup in native. (2603)
- RESOLVED: Spread guides and bleed guides are not copied when you duplicate a layout. (2607)
- RESOLVED: Dragging an image from QuarkXPress to Adobe Photoshop fails.
- RESOLVED: Tracking graph values are displayed small on HighDPI monitors. (2632)
- RESOLVED: An unwanted alert "Specific layout settings or different font versions may cause this text to reflow", pops up when scrolling some documents. (2654)
- RESOLVED: Macedonian characters are pasted as junk (i.e. \2 character) in the Find What and Change To fields on the Find/Change palette. (2655)
- RESOLVED: The Send and Bring option is not available on the context menu for tables, in item mode. (2661)
- RESOLVED: Selecting text across pages, using a mouse, is uncontrollable. (2691)
- RESOLVED: The frame level is not at the same level as shade when the First Baseline Minimum setting for a text box is set to Cap Height or Cap + Ascent. (2726)
- RESOLVED: Selecting the content variable in the layout doesn't highlight the content variable in the Content Variables palette. (2896)
- RESOLVED: When creating a table, the validation for maximum number of rows or columns properties is incorrect. (2981)
- RESOLVED: Dot gain occurs when outputting RGB images with CMYK output setup having custom profiles. (3035)
- RESOLVED: QuarkXPress crashes on remote desktop after closing a library and a project, if no project is open. (3356)

RESOLVED ISSUES: QUARKXPRESS 2017 - OCTOBER 2017 UPDATE (13.1)

- RESOLVED: EPS is not importing and an 'Unknown Error' message is shown if the user name has a Unicode character. (4096)
- RESOLVED: The Column field and the Text Skew field and their increment/decrement arrows have been interchanged in the Text tab. (4099)
- RESOLVED: Drop shadow is separated when grouped text boxes containing shadow are moved. (4111)
- RESOLVED: The Group option on the Item menu does not work in Japanese language. (4112)
- RESOLVED: Undo/Redo stops working after running some Apple Script. (4113)
- **RESOLVED**: The keyboard shortcut for superscript is not working on Windows.
- RESOLVED: Full page images are not exported if one of the boxes is above the pasteboard area. (4119)
- RESOLVED: Positive and negative incremental leading values input while creating a new or editing an existing paragraph style sheet is changed to absolute leading value when saving the stylesheet. (4120)
- RESOLVED: Unable to undo the application of Non-Breaking attribute. (4121)
- RESOLVED: Typing text is very slow in a spanned paragraph with a pararagraph rule applied. User is unable to select text by double/triple clicking in different column blocks after typing in a column block. (4122)
- RESOLVED: Text reflows when opening a legacy project in containing footnotes in QuarkXPress 2017 if the footnote paragraph stylesheet has absolute leading/incremental leading. (4123)
- RESOLVED: Tab leaders for right tabs and right indent tabs are not aligned vertically. (4125)
- RESOLVED: Tab leaders are not output in split column paragraphs except those in the first split column; Tab leaders are not rendered in a layout in the second column of a two column text box if there are split column paragraphs in the first column of the box. (4126)
- RESOLVED: Kern and track values are incremented/decremented by an incorrect amount via the shortcut . (4129)
- RESOLVED: Non-breaking text is highlighted by default in new documents. (4293)
- RESOLVED: The QuarkXPress updater breaks the file association, giving an error when opening with a double click. (4107)
- **RESOLVED**: The QuarkXPress updater overwrites/replaces the *Settings.xml* file. Changes made by the user are lost/deleted. (4108)
- RESOLVED: The mixed state color icon is not displayed in the stroke color list on the Measurement palette. (2683)
- RESOLVED: A frame is not appearing in output if shading is applied to a box with offset values. (2650)

RESOLVED ISSUES: QUARKXPRESS 2017 - OCTOBER 2017 UPDATE (13.1)

- RESOLVED: QuarkXPress crashes when adding a glyph to the favorite glyphs on the **Glyph** palette if a text run has any type attribute other than P/B/I . (5031)
- RESOLVED: Spot colors in imported Tiff and PSD images are rendering as black when applying Soft Proof if an alpha mask is applied to the image. (2677)
- RESOLVED: Some images remain modified even after updating them to OK, when the Usage dialog is invoked again. (4097)
- RESOLVED: The multichannel PSD image channel is not rendering in the exported PDF when the Output Preview dialog is opened in acrobat, if the channel color is modified with a process color in QuarkXPress. (3387)
- RESOLVED: User is not able to switch spot channels on/off using the Advanced **Image** palette if an alpha mask is applied . (2687)
- RESOLVED: QuarkXPress created PDF files having 1 Bit and Grayscale rendering as corrupted on importing into XPress. (2695)
- RESOLVED: The Merge or Split Paths menu item is disabled when multiple objects are selected and enabled an a single object is selected in Japanese language. (4109)
- RESOLVED: The Measurement palette displaying truncated at 125% scaling on a HighDPI machine. (3825)
- RESOLVED: Drop shadows are not rendering correctly when applying or opening legacy projects containing drop shadows. (4104)
- RESOLVED: Images (JPEG & PNG) created with the Save Picture option, are not saved correctly for images scaled disproportionately. (4116)
- RESOLVED: Scaled images are rendering and exporting without anti aliasing. (4117)
- RESOLVED: X1a and X3 certification fails during PDf output on a Windows fresh setup. (4738)
- RESOLVED: Footnote text is displayed in a box while its Footnote reference number is displayed in another box if Keep Lines Together and Keep with Next **Paragraph** is applied on the text; Footnote text disappears if the text box is resized. (6271)
- RESOLVED: (Windows 7 only): Options/icons are truncated at readability of 125% and 150%. (7102)
- RESOLVED: (Windows only): The small caps keyboard shortcut is not working in German. (7157)
- RESOLVED: (Mac only): Duplex printing with HP printers is not working if the machine name contains "" (quotes). (7281)
- RESOLVED: QuarkXPress crashes when dragging a Master page to a layout page if the focus is in the Master page. (4491)

Resolved Issues: QuarkXPress 2017 -July 2017 Update (13.0.2)

Following is a list of issues resolved in QuarkXPress 2017 - July 2017 Update. Note that the following is not an exhaustive list of all fixes in this version.

- **RESOLVED**: The image cache folder is not created if the user name contains a space. (281776)
- RESOLVED: A channel color modified using the Advanced Image Control palette is not retained when re-opening the saved project. (281770)
- RESOLVED: All items after a text box with a hyperlink containing "&", are NOT exported to HTML5 Publications. (282134)
- RESOLVED: QuarkXPress file size increases by up to 900% when saving in QuarkXPress 2016/2017 as compared to QuarkXPress 9, if images without a file extension are imported in a layout/project/document. (281772)
- **RESOLVED**: There is a severe performance delay when opening some books. (281774)
- RESOLVED: The endnote numbers for some of the endnote text is not displayed when scrolling down to the endnote page after saving and reopening project in a facing page project. Go to Endnote is working. (281786)
- RESOLVED: Pictures with dropshadow are converted to static objects when they are copy/pasted across projects. (282153)
- RESOLVED: PDF / EPS images are rendering in low resolution (pixelated) when the Usage dialog is invoked immediately after opening the workflow project. (282154)
- RESOLVED: Images are re-importing as low resolution and rendering pixelated when a project is opened using the modifier key Command/Control. (282155)

Resolved Issues: QuarkXPress 2017 - June 2017 Update (13.0.1)

Following is a list of issues resolved in QuarkXPress 2017 – June 2017 Update. Note that the following is not an exhaustive list of all fixes in this version.

- RESOLVED: QuarkXPress crashes on pasting without formatting if the contextual menu is invoked when the Linking Tool is selected. (264957)
- **RESOLVED:** QuarkXPress crashes on importing very large high DPI images. (268496)
- **RESOLVED**: Dependent DLLs of XTensions placed in the system32 or PATH folders fail to load in QuarkXPress 2017. (279096)
- **RESOLVED:** QuarkXPress crashes on importing specific EPS files through ImageGrid, if Picture Info and Fit box to picture is set. (273224)
- **RESOLVED**: The color of Bullets and numbering differs on output. (277403)
- **RESOLVED**: Group opacity applied to grouped objects also gets applied to all subsequent objects/images. (277821)
- **RESOLVED:** Web View interactivity is not displayed in the iOS App if the main HTML page is named *index.html.* (278335)
- **RESOLVED**: Crash on copying content from a project if the copied content contains callout anchors. (279066)
- RESOLVED: Crash on updating missing color profiles from the Collect for Output folder using Profile Manager in specific cases. (278768)
- **RESOLVED**: Unable to apply Button interactivity from HTML5 pallette as the Button tab is blank in some languages. (279974)
- **RESOLVED:** Show/hide interactivity item references are removed on Save, if these items have been created on the Master page. (278449)
- **RESOLVED**: An anchored box positioned in the first line of a text box is shown out of the text box in Digital output if the text box contains any background color. (278539)
- **RESOLVED:** Moving "Randomize Points" slider changes the preview of the shape. (279240)
- RESOLVED: Part of the anchored image is not rendered on enabling blending color space when the negative Left Runaround outset value is applied to it. (278185)

RESOLVED ISSUES: QUARKXPRESS 2017 - JUNE 2017 UPDATE (13.0.1)

- **RESOLVED**: Glyphs overlap on native output when convert to Type 1 for the imported PDFs having embedded TTF fonts. (276869)
- RESOLVED: When outputting to Non PS printers, a flattening issue occurs if the layout contains images with opacity and none picture background or frame blends with opacity. (264299)
- RESOLVED: Some content in project is not exported to PDF when a PDF with soft-mask is placed across pages. (264731)
- **RESOLVED:** Items with applied opacity on a hidden layer in an AI or PDF files created from Illustrator export incorrectly. (274089)
- RESOLVED: Objects filled with White set to Knockout overprint after changing the color to White if the background color is a Spot color in legacy projects. (274214)
- RESOLVED: QuarkXPress crashes if a document with thin rules is exported as a flattened PDF. (266295)
- RESOLVED: A new RGB Spot color is added to the Colors palette on pasting a copied box with an applied custom color. (278690)
- RESOLVED: TIFF, JPG and PNG grayscale images do not convert to BITMAP or 1-Bit when these images are exported as a Bitmap PDF using Export Picture. (277386)
- RESOLVED: Custom colors used in a gradient render incorrectly when the layout is appended to a new project. (278720)
- RESOLVED: Blends applied to a Gap color are ignored during output as the color is exported with the same color as the frame. (273468)
- **RESOLVED:** QuarkXPress objects and images with the background set to None are pixelated when rendered with a LUT created profile. (278873)
- **RESOLVED:** Inches and Inches Decimal behave the same when the layout zoom is more than 400%. The Ruler does not honour the Units set in Preferences. (262461)
- RESOLVED: There should be no scrollbar in the Measurements palette for large Monitors. (278811)
- RESOLVED: Crash on importing a custom character style sheet from a legacy Job Jacket file if the default color (black) and/or default Dash style are not present in the Job Jacket. (278687)
- RESOLVED: A Table in a group does not scale if the layout contains more than one such group. (278849)
- RESOLVED: QuarkXPress hangs on duplicating a layout with adaptive scaling, if it contains a scroll zone with a pop up. (278518)
- RESOLVED: QuarkXPress crashes on undo after pasting text containing a Content Variable of type Running Header, if the text is copied twice. (279544)
- RESOLVED: QuarkXPress crashes on copy pasting a text box twice after undo if the text box contains a content variable. (278457)

RESOLVED ISSUES: QUARKXPRESS 2017 - JUNE 2017 UPDATE (13.0.1)

- **RESOLVED:** Open quote gets selected with the word on selection via double click in German. (278170)
- **RESOLVED**: QuarkXPress crashes when copy pasting a text box twice that contains a footnote and an editing footnote from the Footnote styles palette. (278568)
- RESOLVED: QuarkXPress crashes on clicking Build Index if the Index Master Page and Index Paragraph stylesheets have been renamed or deleted. (279150)
- **RESOLVED**: Applying Drop caps and justification causes text to flow out of the box. (74341)
- **RESOLVED**: The default increment/ decrement values for Kerning and Tracking have been changed. (279576)
- **RESOLVED**: Gradients, used as colors, for shade and frame, are replaced with white or black during Copy/Paste/Layout Duplicate. (272745)
- **RESOLVED**: The disabled sides of a Frame get enabled when the Text Shading style becomes a part of a Job Jacket. (278117)
- **RESOLVED:** QuarkXPress crashes and frames applied to Span/Split text display all over the screen if the span heading is placed at the bottom. (278305)
- **RESOLVED**: Some of the Picture box Apple Scripts do not work on macOS Sierra. (268768)
- **RESOLVED**: QuarkXPress hangs on moving a text box that contains more than 20 tabs and an alert titled 'This command could not be completed because of unknown system error "bad allocation" displays. (262829)
- **RESOLVED**: English characters get inserted instead of Korean when typing rapidly on Windows 10. (270871)
- **RESOLVED**: QuarkXPress hangs on inserting paragraph breaks in a split column paragraph. (278936)
- **RESOLVED**: An incorrect leading value gets applied to text containing mixed leading values if the Formats dialog is invoked and confirmed. (280045)

Resolved Issues: QuarkXPress 2017 (13.0)

Following is a list of issues resolved in QuarkXPress 2017. Note that the following is not an exhaustive list of all fixes in this version.

- RESOLVED: QuarkXPress crashes when you attempt to duplicate a layout that contains grouped link boxes as anchor items. (90170)
- **RESOLVED**: Text selection in a layout is not shown when searching font references through Show First/Show Next if the Usage dialog is open. (108114)
- RESOLVED: Relocation / Drag / Move and resizing of QR code / Complex Bezier Shapes inserted on a layout is slow as compared to picture boxes. (150901)
- **RESOLVED**: Orthogonal text paths are not retaining preferences. (151474)
- RESOLVED: A single PDF is not generated from a Book on the first attempt, if no chapter is open in QXP 10.2; However this works on the second attempt. (190446)
- **RESOLVED**: There is a color conversion issue when applying soft proofing with profiles. (196020)
- RESOLVED: Scrolling and typing are slow if an All Dots frame style is applied on an inline table style. (204898)
- RESOLVED: The use is unable to import an Adobe Illustrator (.ai) /JPEG 2000 file format file using the Image Grid XTension. (205990)
- **RESOLVED**: Locked guides are not scaled and the user has no option on the Layout Scaling and Adaptive Layout Duplicate. (205997)
- RESOLVED: Moving back to a layout page from Master page moves you to Page 1. (210496)
- RESOLVED: An "Access denied. [-5000]" alert is received when performing CFO when a project name contains the "/" character. (212196)
- RESOLVED: A "Maximum History Actions" is wrongly given in Undo Preferences. (214104)
- RESOLVED: Unable to apply Convert Text to Boxes -> Entire Box on multiselected text boxes. (214735)
- RESOLVED: An extra item style is created when copy pasting an anchored box that has a style with a corner radius. (220858)

- RESOLVED: There is an unexpected color change when copying an item with an item style applied to it and an invalid undo history is created during Copy/Paste. (220863)
- RESOLVED: The user is unable to apply a different footnote separator style to an automatic text box on a Master Page. (225361)
- RESOLVED: Some of the TTF Fonts embedded in the PDF are not outputting correctly when converted to Type 1 if the output is in native. (249064)
- **RESOLVED**: There is a color conversion issue on output if the PDF has an embedded profile with a 1 Bit image with CCITT G4 Compression in an AsIs output setup. (250478)
- **RESOLVED**: All output setups are getting exported when exporting a selected output setup. (250556)
- **RESOLVED**: The user is unable to create a new device named "iPad" or "Android" for Digital Layouts (receives an alert that says it already exists). (251821)
- RESOLVED: QuarkXPress 10/2015/2016 throws an initialization error during launch and interrupts the program startup on Windows OS, if SafeDllSearchMode, CWDIllegalInDllSearch security settings are enabled. (256274)
- RESOLVED: A "Default Non-Breaking Character Set" dialog pops up unexpectedly while performing some layout operations. (257057)
- RESOLVED: A performance issue is observed in Book's synchronization. (258503)
- RESOLVED: An incorrect button state displays for the Bold button in the replacement font dialog when the Plain and Italics font face of a font are mutliselected; the Bold button is displayed selected and in tristate. (260719)
- RESOLVED: The shade value of the selected line path/orthogonal line path is ignored when performing a Super Step and Repeat. (261207)
- RESOLVED: The CZ tool is selected when clicking on a table frame using the Text Content tool. (261209)
- RESOLVED: (Windows only): QuarkXPress crashes when opening a project containing referenced EPS files saved on a Mac and the referenced font is not loaded in the system. (261348)
- RESOLVED: Text box sizes in a duplicated digital layout are changed when you close and re-open and text is showing as overflown. (262026)
- **RESOLVED**: The Google Analytics settings are available while previewing HTML5 Publications. (262190)
- RESOLVED: User is unable to close the timeline scrubber view for small size pages. (264069)
- RESOLVED: No auto scaling happens when viewing a layout designed for a smaller device on any bigger size device. (264070)

- **RESOLVED**: Spread pages options should be available for mobile devices. (264073)
- **RESOLVED**: Auto fit should work for Desktop Browsers. (264074)
- **RESOLVED:** An alert You cannot link text boxes across master pages or onto the paste board is displayed when duplicating a layout with link boxes on the Master page. (264110)
- **RESOLVED**: Words preceding tab characters are hyphenated in the Table of Contents if the Justified paragraph alignment is applied. (264364)
- **RESOLVED**: There is a performance delay when invoking the Style menu after multi-selecting text runs if the Style Sheets palette is invoked. (265988)
- **RESOLVED**: Same size Image is showing in full screen for slideshows applied without show uncropped in full screen option. (267194)
- **RESOLVED**: An alert Fragment identifier is not defined is displayed if an anchor contains a Right Indent. (267221)
- **RESOLVED**: QuarkXPress crashes when importing Excel files if the cell dimensions are not known. (267797)
- **RESOLVED**: Add support for facing pages on mobile devices. (268727)
- **RESOLVED**: Use Existing doesn't work properly if there a stylesheet conflict while importing a Word file in QuarkXPress. (269003)
- **RESOLVED**: Tab leaders are not aligned from the right in the case of left indented tabs. (269109)
- **RESOLVED**: Audio/Video widget on a slow network is causing other widgets to not load and play. (269392)
- **RESOLVED:** QuarkXPress does not launch on Windows 10, with the remote license file created from QLA Server/Client. (271053)
- **RESOLVED:** The cmd-shift-G shortcut for left align is not working in QuarkXPress 2016 German language. (271188)
- **RESOLVED**: User is unable to add a new paragraph or edit an existing paragraph style sheet if negative incremental leading is input. (271536)
- **RESOLVED:** QuarkXPress crashes when resizing the text/rotating the text box if a drop capped word/drop capped character is selected and Lock to Page Grid is applied. (273445)
- **RESOLVED:** QuarkXPress does not launch, hangs/crashes, if the Windows registry has an incorrect/blank default browser path. (273593)
- **RESOLVED**: There is a performance issue when scrolling a project containing rules with style as All Dots. (274462)
- **RESOLVED**: Multi-Column text boxes switch to single column while rotating the box through Trackpad. (274721)
- **RESOLVED**: No boundary alert is shown when modifying the left indent value to a value less than the first line indent; unable to create a new paragraph stylesheet with current text run attributes thereafter. (275068)

RESOLVED ISSUES: QUARKXPRESS 2017 (13.0)

• RESOLVED: QuarkXPress crashes when applying a new paragraph style sheet on a text box if the same stylesheet is referred to in the running header content variable and the user switches between master page and layout pages. (275915)

Legal notices

©2022 Quark Software Inc. and its licensors. All rights reserved.

Quark, the Quark logo, QuarkXPress, and QuarkCopyDesk are trademarks or registered trademarks of Quark Software Inc. and its affiliates in the U.S. and/or other countries. All other marks are the property of their respective owners.