

QPS 8 - bekannt gewordene und behobene Probleme

Bekannt gewordene Probleme mit QuarkXPress 8.5.1

Es folgt eine Liste der in QuarkXPress® 8.5.1 bekannten Probleme.

- [Die in der QuarkXPress 8.5.1 ReadMe-Datei beschriebene Funktion "Speicherort für Vorgaben konfigurierbar" funktioniert nur unter Windows. \(81144\)](#)
- *(Nur Mac OS 10.6.5)* Duplexdruck funktioniert auf einigen Druckermodellen nicht. **Dieses Problem wurde in Mac OS 10.6.6 behoben.** (64830)
- *(Nur Windows)* Wenn Sie aus Photoshop ein großes Bild (größer als 6" x 9", mit 72dpi oder mehr) im Graustufenmodus als EPS-Datei mit einer 8-bit TIFF-Vorschau sichern und das Bild dann in QuarkXPress importieren, wird QuarkXPress unter Umständen unerwartet beendet. (64027)
- *(Nur Windows)* Auf einigen Computern wird QuarkXPress unerwartet während des Startvorgangs beendet, wenn bestimmte Windows PPD-Standarddateien (PostScript® Printer Description) installiert sind und ein HP Drucker der Serie 8100 als Standard-Ausgabegerät ausgewählt ist. (26879)
- *(Nur Windows)* QuarkXPress wird unerwartet beendet, während eine Seite im EPS-Format gesichert wird, wenn diese Seite ein importiertes BMP-Bild enthält. (52005)
- Wenn Sie zwei oder mehr ostasiatische Schriften in einem Layout verwenden, das Layout als PDF ohne eingebettete Schriften exportieren und dann versuchen, die entstandene PDF in einen Rahmen zu importieren, schlägt der Import fehl. (54317)
- Wenn Sie ein Layout erstellen, das am Ende einer Zeile einen bedingten Trennstrich und am Ende der nächsten Zeile einen automatischen Trennstrich enthält, das Layout dann im PDF-Format exportieren, das PDF in Acrobat Pro öffnen und **Dokument > Dateigröße verringern** wählen, wird im PDF mit der verringerten Größe vor dem bedingten Trennstrich ein Leerzeichen eingefügt. (57387)
- In the **Job Jackets® Manager** dialog box, if you drag a grid style or a mojigumi set onto a Job Jackets structure, Job Ticket, or project that already has a grid style or mojigumi set with the same name, no alert is displayed and the existing grid style or mojigumi set is overwritten. (31567)
- [Wenn Sie ein Projekt öffnen, das zuletzt in einer früheren Version von QuarkXPress gesichert wurde und dieses Projekt eine verknüpfte oder eingebettete Job Jackets Struktur mit Ressourcen für Gruppen geschützter Zeichen, Rasterstil-, Mojigumi- oder Musterseitenraster-Ressourcen verwendet, wird QuarkXPress möglicherweise unerwartet beendet oder die Verknüpfung zur Job Jackets Datei geht verloren. \(34048, 34047, 31230\)](#)
- *(Mac OS 10.6.2 only)* If you launch QuarkXPress with the **Font Previews** preference on (**QuarkXPress/Edit > Preferences > Fonts > Font Previews > Show in Font Menu**), create a document using PostScript Type 1 fonts, and then open an existing document created on a version of Mac OS X prior to 10.6, Type 1 fonts used in the existing document may reflow.
Workaround: Turn off the **Font Previews** preference, then quit and relaunch QuarkXPress.
- *(Windows 7 only)* If you create a project on Windows Vista®, import an Adobe Illustrator file from a shared network location, open the file on Windows 7, update the Illustrator file's status in picture usage (**Utilities > Usage > Pictures pane**), and then either output the layout or close and reopen

FINAL v1

Created Tuesday, November 9, 2010

the project, the Illustrator file shows a **Status** of **Wrong Type**. (Note that the file can be output without a problem.) (9434)

- *(Windows 7 only)* If you export an Interactive layout that contains a Video object using the **Windows Projector** export type, the resulting file and folder erroneously include “.swf” in their names. (7069)
- *(Mac OS X 10.6 only)* If you try to display the Help for QuarkXPress, the error message "HVURLHandlerErrorDomain error 1002" displays.

Workaround: Download an updated copy of the Help file from the Quark Web site. You can download an updated Help file [here](#).

- ~~If you import a vector EPS file in which the upper-left corner is 100% transparent, and then export the layout in PDF format with OPI turned on, a small, vertically-flipped copy of the EPS image may display in the upper-left corner of the picture in the resulting PDF. Note that if you process the layout with an OPI server, this problem will not be visible in the final output. (19906)~~

~~*Workaround:* Turn off OPI before exporting the PDF.~~

- If you place an anchored box in a text box that either has a vertical story direction or is rotated, the anchored box displays incorrectly when printed to a non-PostScript printer. (19534)
- *(Mac OS 10.6 only)* Due to a change in Apple's APIs, text that uses Type 1 fonts may display increased vertical spacing when you open a project in Snow Leopard.
- *(Mac OS 10.6 only)* In an Interactive layout, if you create a Video object and choose a local (not external) movie file, then export the layout as an SWF file, the video displays incorrectly in the SWF file. (12450)
- *(Mac OS 10.6 only)* You cannot print a layout that includes an imported raster EPS file to an HP Color LaserJet 5500 PS. (11549)
- If you import a PDF with native transparency and then print the layout, problems such as lost overprints or incorrect flattening may occur. Although such imported PDFs will print correctly in many cases, Quark® recommends that you do not import them in QuarkXPress. If you need to import an image of a QuarkXPress layout, export that layout in flattened EPS or PDF format. (7835)
- *(East Asian and Plus editions only)* If you scale a facing-page layout with a vertical story direction using Scale XTensions® software (formerly available separately as ALAP XPert Scale XTensions software), the story direction changes to horizontal and the first page may switch from left-facing to right-facing. (10384)
- *(Mac OS only)* If **FileVault** is turned on (System Preferences application > **Security > FileVault** tab), previews for imported Adobe® Illustrator® and PDF files do not always update correctly when the files change. (3535)
- *(Windows® only)* If you print from QuarkXPress to one of several HP printers, not all of the printer's features are available. (8976)

Workaround: Change the name of the QuarkXPress executable from “QuarkXPress.exe” to “QuarkXPress 8.exe.”

- If you create a table with Auto Fit turned on for rows and columns, enter content into that table until it expands, and then scale the table up with Scale XTensions software (**Window > Scale**), the table scales incorrectly. (3606)
- *(Mac OS only)* You cannot copy a picture using AppleScript®. (9529)

FINAL v1

Created Tuesday, November 9, 2010

- In an Interactive layout, if you create a Video object and choose a local (not external) .mov file with a non-ASCII character in its name, the message “The path is not supported by QuickTime®” displays. (3646)

Workaround: Either convert the file path to ASCII-only characters or reference the movie externally.

- If you create a layout with an imported PDF with native transparency, then output the layout with a too-high flattening resolution, QuarkXPress incorrectly displays the following message: “The PDF file “[name]” is damaged and will not be output at low resolution.” (The definition of “too-high” depends on the content of the layout.) (5366)

Workaround: Either flatten the PDF before you import it, or reduce the **Flattening Resolution** value for **Transparent Objects in Imported PDF & AI Files** (output options > **Transparency** pane).

- If you import a TIFF or SCT picture, change the picture’s opacity or apply an alpha mask to it, and then export the layout as a PDF file with native transparency with the **OPI Active** option checked (**File > Export > Layout as PDF > Options > OPI > OPI Active**), the picture is corrupted in the resulting PDF file. Regular OPI output is not affected. (11863)
- You may experience incorrect output if you import a duotone EPS file, export the layout in PDF format, import the resulting PDF, and then print to PostScript or export a PDF, particularly if you are using native transparency. (5062, 5838)
- If you try to export a PDF of a layout with an extremely large number of imported EPS files, QuarkXPress may not be able to complete the export. (7941)

Workarounds: Export the layout page by page, or export the layout as a PostScript file and then distill it in Acrobat.

- If you export a layout containing an imported 1-bit image and specify a **Downsample to** value for **Monochrome Images** (**File > Export > Layout as PDF > Options > Compression**), the image is instead downsampled using the **Downsample to** value specified for **Grayscale Images**. (10717)
- If you use Adobe Illustrator to create a PDF or Illustrator file containing rounded letters (such as C or G) in front of a colored object with an opacity less than 100%, import the PDF in QuarkXPress, and then output the layout, some of the letters may be clipped across the top. (3634)

Workaround: Flatten the file in Illustrator before importing it.

Behobene Probleme: QuarkXPress 8.5.1

Es folgt eine Liste der in QuarkXPress 8.5.1 behobenen Probleme. Beachten Sie, dass es sich nicht um eine vollständige Liste der Fehlerbehebungen in dieser Version handelt.

- **BEHOBEN:** Wenn Sie versuchen, eine vertikal ausgerichtete Graustufen-EPS-Datei zu importieren, die in Photoshop mit einer 8-bit TIFF Vorschau gesichert wurde, wird QuarkXPress unerwartet beendet. (62047)
- **BEHOBEN:** In einigen Projekten mit Objektstilen erscheint zufällig eine “Out of Memory -108” (Speicherfehler) Warnmeldung. (70936)
- **BEHOBEN:** Wenn Sie auf einer Plattform eine Job Jackets Datei erstellen und sie dann auf der anderen Plattform verwenden, werden im Job Ticket Schriften in einer Stilvorlage oder Schriftengruppe gelegentlich als fehlend angezeigt, wenn sie unter Mac OS und Windows unterschiedliche Namen besitzen. (3964)

- **BEHOBEN:** Wenn Sie eine Mojigumi-Gruppe in einer Job Jackets Datei durch eine Mojigumi-Gruppe desselben Namens, jedoch mit anderen Einstellungen, ersetzen, wird keine Dialogbox für Konflikte beim Anfügen angezeigt. Dieses Problem tritt auch mit Gruppen geschützter Zeichen auf. (15360)
- **BEHOBEN:** Wenn Sie ein Layout als PDF exportieren und PDF/X-1a: 2001 Verifizierung wählen und dann die Passmarken ausschalten, enthält das entstehende PDF eine fehlerhafte Mediabox. (49935)
- **BEHOBEN:** Wenn Sie eine PDF-Datei von einem Netzwerkserver importieren, die PDF-Datei aktualisieren und das Bild dann in QuarkXPress aktualisieren, wird die Vorschau des PDF nicht aktualisiert. (76879)
- **BEHOBEN:** Wenn Sie eine EPS-Vektordatei importieren, in der die linke, obere Ecke zu 100 % transparent ist und das Layout anschließend mit aktiviertem OPI im PDF-Format exportieren, erscheint in der linken, oberen Ecke des Bildes des entstandenen PDF unter Umständen eine kleine, vertikal gespiegelte Kopie des EPS-Bildes. Beachten Sie, dass bei der Verarbeitung des Layouts mit einem OPI-Server dieses Problem in der fertigen Ausgabe nicht sichtbar ist. (19906)
- **BEHOBEN:** Wenn Sie ein Projekt aus einem Job Ticket erstellen, das eine Absatzstilvorlage enthält, die den Text an der Grundlinie einrastet, und dieses Projekt dann im Format QuarkXPress 7 exportieren, rastet die Absatzstilvorlage im exportierten Projekt den Text an der Oberlinie ein. (74005)
- **BEHOBEN:** Wenn Sie mehrere Textrahmen kopieren und einsetzen und einer der Textrahmen ein verankertes Objekt enthält, wird dieses Objekt bei geringen Ansichtsgrößen zunächst an einer falschen Position angezeigt. (53795)
- **BEHOBEN:** Während der Rechtschreibprüfung empfiehlt die Anwendung für falsch geschriebene Wörter gelegentlich abwegige alternative Schreibweisen. (58995)

Behobene Probleme: QuarkXPress 8.5

Es folgt eine Liste der in QuarkXPress 8.5 behobenen Probleme. Beachten Sie, dass es sich nicht um eine vollständige Liste der Fehlerbehebungen in dieser Version handelt.

- **BEHOBEN:** Wenn die aktive Programmsprache Deutsch ist, funktionieren die Tastenkürzel für "Von Projektfenster zu Projektfenster" und "Von Layout zu Layout" nicht. (11075)
- **BEHOBEN:** Während der Rechtschreibprüfung markiert QuarkXPress fehlerhaft russische Wörter, die das Zeichen ё enthalten. (16992)
- **BEHOBEN:** Verankerte Objekte in gedrehten Rahmen und in Rahmen mit einer vertikalen Textlaufrichtung werden auf Nicht-PostScript-Druckern fehlerhaft ausgegeben. (19534)
- **BEHOBEN:** (Nur Mac OS 10.6.3) Wenn das Standard-Anzeigeprofil in den **Systemvorgaben (Anzeigen > Register Farbe > Anzeigeprofil)** noch ausgewählt ist, wird beim Start folgende Warnmeldung angezeigt: "Anwendung verwendet in diesem System nicht installierte Profile." Wenn Sie auf **Weiter** klicken, werden einige Farbmusterbibliotheken (wie PANTONE® GoeBridge™ Coated, PANTONE® Color Bridge CMYK UP, TRUMATCH und FOCOLTONE) schwarz dargestellt. (39199)

FINAL v1

Created Tuesday, November 9, 2010

- **BEHOBEN:** (Nur Mac OS 10.6.3) Wenn Sie QuarkXPress auf einem iMac starten, wird beim Start auch dann folgende Warnmeldung ausgegeben, wenn ein iMac Anzeigeprofil installiert ist: "Anwendung' verwendet in diesem System nicht installierte Profile. (39234)
- **BEHOBEN:** QuarkXPress reagiert gelegentlich nicht mehr, wenn Sie zwei aufeinander folgende Absatzumbrüche löschen. (39608)
- **BEHOBEN:** (Nur Mac OS) Wenn Sie unter Snow Leopard (Mac OS 10.6.3) ein Bild importieren und dann **Ansicht > Proof-Ausgabe > [Name des Farbprofils]** wählen, ändert sich die Anzeige nicht wie gewünscht in die entsprechende Vorschau. (40272)
- **BEHOBEN:** Es ist nicht möglich, ein Objekt von einer Layoutansicht in eine andere Ansicht des selben Layouts zu ziehen. (48178)
- **BEHOBEN:** Wenn Sie den Text eines Rahmens an einem Raster festsetzen, auf diesen Text eine Regel mit einem Versatz anwenden, der größer als der Zeilenabstand des Textes ist und dann ein Objekt vor den Text platzieren, reagiert QuarkXPress unter Umständen nicht mehr. (48539)
- **BEHOBEN:** (Nur Mac OS) Aus Adobe Photoshop CS5 gesicherte EPS-Bilder werden in QuarkXPress nicht korrekt dargestellt, wenn sie mit einer der **Macintosh** Vorschauoptionen gespeichert wurden. Anstelle des Bildes wird ein grauer Rahmen mit dem Text "PostScript Picture" angezeigt. (49349)
- **BEHOBEN:** Wenn Sie ein PDF exportieren und **PDF/X-1a: 2001** aus dem Dropdown-Menü Verifizierung wählen und die Beschnittmarken ausschalten, fügt die Anwendung einen Parameter CropBox ein und berechnet den Parameter MediaBox fehlerhaft. (49935)
- **BEHOBEN:** Wenn Sie versuchen, ein Projekt auszugeben, bei dem ein Bild fehlt (unter Windows) oder bei dem ein 1-bit- oder ein Graustufenbild fehlt (unter Mac OS), wird QuarkXPress unter Umständen unerwartet beendet. (50925)
- **BEHOBEN:** (Nur Mac OS) Wenn Sie **Project.pdf** aus der Dropdown-Liste **Standardname** im Bereich PDF der Dialogbox Vorgaben wählen und dann ein PDF aus einem Projekt erzeugen, das einen Dateinamen mit einer aus drei Zeichen bestehenden Dateinamenserweiterung besitzt, die nicht ".qxp" lautet (z. B. ".123"), lässt QuarkXPress die Dateinamenserweiterung des Dateinamens im exportierten PDF entfallen. (51375)

Resolved Issues: QuarkXPress 8.1.6.2

Following is a list of issues resolved in QuarkXPress 8.1.6.2. Note that the following is not an exhaustive list of all fixes in this version.

- **RESOLVED:** QuarkXPress unexpectedly quits while exporting a PDF if the layout contained missing images. (43401)

Resolved Issues: QuarkXPress 8.1.6.0

Following is a list of issues resolved in QuarkXPress 8.1.6.0. Note that the following is not an exhaustive list of all fixes in this version.

- **RESOLVED:** If you select a single paragraph return and try to replace it by inserting a new character, the paragraph return is not deleted. (13158)
- **RESOLVED:** If you create a paragraph that has **Keep Lines Together** with a **Start** value of 2 and an **End** value of 2, position the paragraph so that it spans two text boxes in a story, delete the space

FINAL v1

Created Tuesday, November 9, 2010

before the first word in the second box, and then reinsert the space, the last line in the first text box displays incorrectly. (16823)

- **RESOLVED:** If you open a layout created in a previous version of QuarkXPress, and the layout uses an H&J that specifies an **R Char** value of -1%, inserting a special space (such as an em space) after the first character of a paragraph that uses that H&J may cause the paragraph to break incorrectly. (20170)
- **RESOLVED:** (*Mac OS only*) If you open a project that was created in a previous version of QuarkXPress, and the project contains an imported EPS file, QuarkXPress may unexpectedly quit when you try to print the layout or export it in PDF format. (13470)
- **RESOLVED in Mac OS 10.6.2:** (*Mac OS 10.6.x only*) When you try to export a layout in PDF format, the layout prints to the default printer. (7731)
- **RESOLVED:** You cannot save or open QuarkXPress files on a Helios SMB volume. (24481)
- **RESOLVED:** If you apply a font set to text, override the scaling and baseline shift values for that text, and then make a change to the font set, the local scaling and baseline shift values are lost. (11932)
- **RESOLVED:** If you change the fonts for Han or Kana in a font set, rubi text that uses that font set is not updated unless the rubi or the base text begins with Roman or numeric characters. (13460)
- **RESOLVED:** Font sets are applied incorrectly to text during text entry. Note that even though this defect is now fixed, if you open a project that was created in a previous version of QuarkXPress and manually reapply the same point size to text that uses a font set, the text may reflow. (14464)
- **RESOLVED:** (*Windows only*) Text drag-and-drop does not work under Windows Vista and Windows 7, even if you are logged in as an administrator.
- **RESOLVED:** (*Windows only*) The **User Account Control** dialog box displays when you launch QuarkXPress under Windows Vista and Windows 7.

Resolved Issues: QuarkXPress 8.15

Following is a list of issues resolved in QuarkXPress 8.15. Note that the following is not an exhaustive list of all fixes in this version.

- **RESOLVED:** (*Mac OS only*) On some newer Macs, QuarkXPress unexpectedly quits during activation. This issue occurs only on computers where the FireWire MAC address begins with a non-zero, and only with copies of QuarkXPress that require activation. To determine whether your computer is affected:
 1. Choose **Apple > About This Mac**. In the dialog that displays, click **More Info** to launch System Profiler.
 2. Choose **File > Save As** and save the system profile to your hard disk.
 3. Open the resulting file in a text editor and locate the first occurrence of the string "IOFireWireController".
 4. Beginning at this location, find the next occurrence of "IOMACAddress". The line should include a value similar to <0067f0abcde37dc6>. If the first digit after the < is not a zero, your computer is affected by this issue. To fix it, download and run the QuarkXPress 8.15 updater.

Resolved Issues: QuarkXPress 8.12

Following is a list of issues resolved in QuarkXPress 8.12. Note that the following is not an exhaustive list of all fixes in this version.

- **RESOLVED in Mac OS 10.6.2:** Text using a Type 1 font can shift position when opened on Mac OS X Snow Leopard, affecting the leading and vertical position of the text, as well as any drop shadows applied to the text.
- **RESOLVED:** If a picture box with a runaround completely overlaps the left edge of a text box containing text that occurs after a right tab, the text may flow outside of the box. (18970)
- **RESOLVED:** Right-aligned tabs may not be honored in lines that include a flex space (**Utilities > Insert Character > Special** or **Special (nonbreaking) > Flexible Space**). (14867)
- **RESOLVED:** If you have two text boxes positioned so that one is above the other, and you place an item with a runaround between them so that it overlaps both, deleting a character from the text may cause text to overlap other text. (14885)
- **RESOLVED:** If you delete returns before text that has rubi applied in a story that spans multiple linked boxes, the rubi may display incorrectly. (14935)
- **RESOLVED:** If text in a box extends into a second box, and only one or two lines of text display in the second box, the text in the second box may display with incorrect spacing. (16641)
- **RESOLVED:** If you insert a tab in the middle of a single line of text, the text may display outside the box. (16644)
- **RESOLVED:** In some documents that were last saved in a prior version of QuarkXPress, if **Lock to Grid (Style > Formats)** is checked for a paragraph and the text wraps around an obstruction, the line after the obstruction is positioned too far down and causes reflow. (18084 - introduced in 8.1)

Resolved Issues: QuarkXPress 8.1

Following is a list of issues resolved in QuarkXPress 8.1. Note that the following is not an exhaustive list of all fixes in this version.

- **RESOLVED:** If you import a picture from a Xinet® OPI server with **Use OPI** checked, export the layout in PDF format with **OPI Active** checked and **Include Images** unchecked, and then process the resulting PDF with the Xinet server, the PDF comes out blank. (3179)
- **RESOLVED (Windows Vista only)** On a 64-bit computer running Windows Vista, the QuarkXPress **Print** dialog box sometimes fails to display when you choose **File > Print**. (3850)
- **RESOLVED:** If you try to print two duplexed copies of a layout to a Konica® Minolta® C451 printer with the Konica Minolta PPD installed, only one copy prints and it is not duplexed. (3569)
- **RESOLVED (East Asian and Plus editions only)** If you use QuarkXPress 8 to open a QuarkXPress 4.x document that uses a negative optimal justification value for East Asian punctuation (**Edit > H&Js > EA Punct**), the text in the layout may reflow. (11996)
- **RESOLVED:** If you choose a source setup that uses a particular input profile and has **Color Manage RGB/CMYK Sources to RGB/CMYK Destinations** checked, import a picture that uses the same profile, and then export the layout in PDF, EPS, or PostScript format, the colors in the image change. (5421)

FINAL v1

Created Tuesday, November 9, 2010

- **RESOLVED** (*East Asian and Plus editions only*) Tabs may not work correctly in a paragraph with an H&J that has a minimum **R Space** value less than zero. (11600)
- **RESOLVED:** You cannot select an item behind a table or group by Command+Option+Shift-clicking/Ctrl+Alt+Shift-clicking the table or group. (3968)
- **RESOLVED:** If you open a layout created in a previous version of QuarkXPress, images in anchored picture boxes are not included the first time you send the layout to output. (4498)
- **RESOLVED:** Overprint is not honored for semitransparent items in imported Adobe Illustrator and PDF files. (3632)
- **RESOLVED** (*Mac OS only*) If you print a layout containing text to some HP LaserJet® printers, some of the letters in the text print incorrectly. (7200)
- **RESOLVED:** If you try to save a Job Jackets® structure that contains a character style sheet with a **Language** setting of **None**, QuarkXPress unexpectedly quits. (4034)
- **RESOLVED** (*Mac OS only, East Asian and Plus editions only*) If you create a layout with a vertical story direction and an East Asian font, export that layout in PDF format with the font excluded (**File > Export > Layout as PDF > Options > Fonts** pane > uncheck font name), import the resulting PDF file in a different layout, and then send the layout to output, the message “The PDF file is damaged and will output in low resolution” displays and the resulting output is blank. (12430)